

MV-372 Mobile VoIP




2 Channels VoIP GSM Gateway

MV-372 is a 2 channels VoIP GSM Gateway for call termination (VoIP to GSM) and origination (GSM to VoIP). It is SIP based and compatible with Asterisk. It can enable to make 2 calls simultaneously from IP phones to GSM networks and GSM network to IP phone.

Major Function

- VoIP(SIP) · GSM conversion.(MV-372)
- VoIP(SIP) · CDMA conversion.(MV-372C)
- 50 sets of LAN --> MOBILE routes setting · 50 sets of MOBILE --> LAN routes setting.
- Voice response for setting and status(dial in from mobile).
- For call termination (VoIP to GSM) and origination (GSM to VoIP).
- Standard SIP(RFC2543 · RFC3261) protocol · communicates with other gateway or PC
- All functions can be set on web.



Specification

- Protocols : SIP (RFC2543 · RFC3261)
- TCP/IP : IP/TCP/UDP/RTP/RTCP/ · CMP/ARP/RARP/SNTP · DHCP/DNS Client · IEEE802.1P/Q · ToS/DiffServ · NAT Traversal · STUN · uPnP · IP Assignment · Static IP · DHCP · PPPoE
- Codec : G.711 u-Law · G.711 a-Law · G.723.1 (5.3k) · G.723.1 (6.3k) · G.729A · G.729A/B
Voice Quality · VAD · CNG · AEC · LEC · Packet loss
- CDMA (MV-372C) : 800MHz CDMA · Supports cdma2000 1xRTT Air Interface · Backward compatibility from IS-2000 to IS-95A/B · Support Voice for both 13k QCELP and EVRC
Supports both full rate and 1/8 gating on the reverse link
- GSM (MV-372) : Dual band:900/1800 MHZ
Tri band:900/1800/1900MHZ
Quad band:900/1800/1900/850MHZ

MV-372 Mobile VoIP

***Enable to make 2 calls simultaneously**

