



Eaton 5P tower UPS

Enterprise class battery backup in a space-saving tower design for network closets and computer rooms

Space-saving: The Eaton® 5P provides premium protection while conserving value space in multiple, slim tower designs.

Efficiency: The 5P provides industry leading efficiency of up to 99 percent.

Manageability:

- **UPS management:** By integrating Eaton's free Intelligent Power Manager® Software, you can monitor and manage the power devices on your network
- **Energy metering:** The 5P meters energy consumption at the UPS level

LCD: Eaton's next-generation LCD offers a graphical interface which provides all critical UPS information in a single screen view

More power: The 5P protects more devices by providing 20 percent more wattage compared to traditional UPSs.

Battery life: Eaton's exclusive ABM® technology increases battery service life by 50 percent.

Intelligent Power Manager (IPM)

By integrating the software with the Eaton 5P, you can:

- Seamlessly integrate with VMware's vCenter Server™ virtualization management solution, as well as virtualization platforms such as Citrix® XenServer, Microsoft SCVMM™, Red Hat® and other Xen® open source platforms
- Initiate live migration of virtual machines (VM) to automatically and transparently migrate VMs during power disruptions to unaffected devices with systems such as VMware vMotion™ and Microsoft Live Migration
- Execute graceful shutdown of computers and virtual machines/servers during an extended power outage

To learn more, please visit: Eaton.com/intelligentpower

Services and support

Eaton provides product support 24 hours a day, 7 days a week. From battery replacement to full UPS service plans, Eaton has one of the top service models in the industry.

Three-year warranty

The 5P warranty covers both the UPS and the batteries for three years. No other manufacturer in the industry offers as comprehensive a warranty.



Powering Business Worldwide

5P TOWER MODEL SELECTION GUIDE*

Catalog number	Rating (VA/watts)	Input connection	Output receptacles	Dimensions (H x W x D), in	Net weight, lb
Tower 120V 50/60 Hz models					
5P750	750/600	5-15P	(8) 5-15R	9.1 x 5.9 x 13.6	22.7
5P1000	1000/770	5-15P	(8) 5-15R	9.1 x 5.9 x 13.6	24.4
5P1500	1440/1100	5-15P	(8) 5-15R	9.1 x 5.9 x 17.5	35.3
5P2200	1950/1920	5-20P	(8) 5-20R	3.4 x 17.4 x 20.6	73.0
5P3000	3000/2700	L5-30P	(6) 5-20R, (1) L5-30R	3.4 x 17.4 x 25.5	81.0
Tower 208 or 230V 50/60 Hz models					
5P850G	850/600	C14	(6) C13	9.1 x 5.9 x 13.6	21.9
5P1550G	1550/1100	C14	(8) C13	9.1 x 5.9 x 17.5	35.2

*Due to continuous product improvement programs, all specifications are subject to change without notice. Please visit Eaton.com/5P to view complete and updated product specifications, including complete battery runtimes.


Additional options

Connectivity	Catalog number	For use with
Gigabit Network Card	NETWORK-M2	All models
Relay / serial interface card	RELAY-MS	All models
Environmental Monitoring Probe	EMPDT1H1C2	All models (requires Gigabit Network Card; NETWORK-M2)


What's in the box

- User manual CD
 - Intelligent Power Software Suite CD
 - Quick start guide
 - USB cable
 - RS-232 cable
- G models only**
- 2 IEC-to-IEC jumper cables

5P750 rear panel



5P2200RT rear panel



Pulse Supply
 909 Ridgebrook Road., Sparks, Maryland 21152, USA
 TEL : +1-410-583-1701 FAX : +1-410-583-1704
 E-mail: sales@pulsesupply.com
<https://www.pulsesupply.com/eaton>



© 2021 Eaton
 All Rights Reserved
 Printed in USA
 BR153008EN / GG
 October 2021

Eaton Intelligent Power Manager and ABM are registered trademarks.

All other trademarks are property of their respective owners.

Follow us on social media to get the latest product and support information.

