

Ideal for a desk, bathroom or wall, the accessory TrimStyle Phone features a compact footprint with the dialpad on the handset. Guests will appreciate the small the corded comfort, while hotels will welcome the size for easy placement. Since this accessory phone registers to a cordless base, there's no need to run an Ethernet cable or purchase a SIP license for installation. The result: lower infrastructure costs and a better guest experience.

Contemporary SIP Accessory TrimStyle Phone

1-Line CTM-S2310 | 2-Line CTM-S2320

Key Features

- DECT 6.0 technology delivers superior sound quality while reducing telecom costs
- Corded design ensures familiar, comfortable guest experience
- Wall-mount capability for convenient bathroom installation
- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- Backlit keypad located on handset for convenient one handed operation.



Silver and Black

Phone Features

- | | |
|--|--|
| <ul style="list-style-type: none"> • CTM-S2310 requires base phone: CTM-S2411 • CTM-S2320 requires base phone: CTM-S2421 • Power over Ethernet (PoE): telephone features work without AC power • Environmentally friendly ROHS program reduces the use of hazardous substances • Visual message waiting indicator alerts guests of new messages. Compatible with all major PBXs • Standard, 12-digit backlit keypad • Automatic expired redial memory for guest privacy | <ul style="list-style-type: none"> • Conference*, Flash, Hold and Mute • 1 or 2 lines with line key indication* • Automatic line selection* • Backlit handset dialpad • Desk- or wall-mountable • Multi-step volume control for ring tones and handset • Selectable ring tones • 2-year limited warranty |
|--|--|

* 2-line model only



Matte Black



Silver and Pearl



Contemporary SIP Accessory TrimStyle Phone

1-Line CTM-S2310 | 2-Line CTM-S2320

Specifications

Radio Frequency Baseband: Available in DECT 1.8GHz,

DECT 1.9GHz, and 2.4 GHz

Colors: Silver and Black, Matte Black, Silver and Pearl

Power Source: PoE Class 2

Message Waiting Signal Type: Varies by PBX

Flash: Programmable timing (100/300/600ms)

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Certifications:

- HAC
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS
- ENERGY STAR[®] qualified

Cords:

- 12-foot standard coiled handset cord
- 10-foot standard telephone line cord with RJ45 connectors



Silver and Black



Matte Black



Silver and Pearl

Dimensions

Master Carton Measurements: 19.8 in. x 14 in. x 9.6 in., 23 lbs, 12 per carton

Phone Measurements: 3.7 in. x 8.1 in. x 2.9 in., 1.5 lbs

Contemporary SIP Accessory TrimStyle Phone | 1-Line CTM-S2310 | 2-Line CTM-S2320

Product Part Numbers

	Silver and Black	Matte Black	Silver and Pearl
• Model No. CTM-S2310: 1-Line Accessory TrimStyle	80-H030-06-000	80-H030-15-000	80-H030-11-000
• Model No. CTM-S2320: 2-Line Accessory TrimStyle	80-H031-06-000	80-H031-15-000	80-H031-11-000



Silver and Black



Matte Black



Silver and Pearl