

A Collaborative Meeting Experience at Your Fingertips

CTP18 is a collaboration touch panel designed for small and medium rooms. Its 8-inch touch screen and user-centered interactive design allow users to join or control a meeting quickly and effortlessly. It greatly reduces the difficulty of using video conferencing system and creates a better meeting experience.

When CTP18 works with Yealink Wireless Presentation Pod WPP20, you can annotate or control the shared content on CTP18 directly, thereby improving the communication efficiency.



8-Inch Multi-touch Screen



Power over Ethernet



Annotation on Shared Content



Wi-Fi & Bluetooth



Adjustable Screen Angle



Key Features

More Efficient Collaboration

Up to 4 CTP18 units can be used simultaneously in one system. Multiple participants can annotate on the shared content at the same time. Besides, the real-time handwriting presentation allows participants to see what is being written with no latency and makes discussions much more effective. When CTP18 works with Yealink Wireless Presentation Pod WPP20, you can gain reverse control from CTP18 over your computer, getting a multi-screen interaction that assists you to achieve more.

Richer and Easier Meeting Control Features

CTP18 adopts effortless and user-centered interaction design, making meeting control more easier. The touch control of the screen outperforms traditional control modes magnificently. You can create or join a meeting on the home screen, and all meeting controls can be navigated on CTP18 with just a touch or a swipe of your finger, including previewing and adjusting the camera, changing the participant layouts, recording, etc.

Clutter-Free Meeting Space

CTP18 supports PoE where one cable carries both data and power for the device. Data transmission between CTP18 and the VCS endpoint is realized either by cable or by Wi-Fi, which eliminates the tricky wiring connections between the TV area and the conference table, saving you from remodeling the meeting spaces.

- Android 9.0 operating system
- 8-inch touch screen
- Support conference control
- Support annotation on shared content
- Connect to VCS endpoint via cable or via Wi-Fi
- Power over Ethernet (IEEE 802.3af)

Connection

- Connect to VCS endpoint via cable
- Pair with the VCS endpoint in the same LAN (supported by later versions)
- Connect to VCS endpoint via Wi-Fi

System Compatibility

- MeetingEye 400/MeetingEye 600
 - 44 or later versions
 - Up to 4 CTP18 units can be used in one system
- VC880/VC800/VC500
 - Supported by later versions
 - Up to 4 CTP18 units can be used in one system
- VC200/VC210
 - Supported by later versions
 - Up to 1 CTP18 unit can be used in one system

Wireless Network

- Wi-Fi
 - 2.4G/5G Wi-Fi
 - IEEE 802.11n/ac
 - Support connecting to the Wi-Fi generated by Yealink VCS endpoints only

Display

- Screen
 - 8-inch IPS FHD capacitive touch screen
- Resolution
 - 1280*800 (16:10)
- Touch
 - 10 points multi-touch

Interface

- USB
 - 1 x USB-C for device debugging
- RJ45
 - 1 x RJ45 Ethernet for power and data connection
- Reset slot
 - 1 x Reset slot

Accessories

- Wall Mount Bracket
 - 1 x wall mount bracket
- Security lock slot
 - 1 x security lock slot for anti-theft

Other Physical Features

- Power supply
 - Power over Ethernet (IEEE 802.3af)
- Power input
 - PoE 48V $\overline{=}$ 0.27A
- Power consumption
 - 7W at most
- Stand
 - Adjustable angle (28°~50°)
- Dimension (W*D*H)
 - 202mm x 151mm x 100mm

Compliance



Pulse Supply
909 Ridgebrook Road.,Sparks,Maryland 21152,USA
TEL : +1-410-583-1701 FAX : +1-410-583-1704
E-mail: sales@pulsesupply.com
<https://www.pulsesupply.com/zoom>

YEALINK(XIAMEN) NETWORK TECHNOLOGY
CO.,LTD.
Web: www.yealink.com
Addr: No.1 Ling-Xia North Road, High Tech Park,
Huli District, Xiamen, Fujian, P.R.C
Copyright©2020 Yealink Inc. All right reserved.